PATIENT INFORMATION



EB-C4

Welcome to EBM Medical. We provide high quality active pharmaceutical ingredients, supported by evidence based medicine and available exclusively through your health care provider. Your healthcare provider has prescribed EB-C4 — a high concentration broad spectrum, transdermal CBD cream.

Sometimes called the "whole-plant" or "entourage effect," EB-C4 offers a complex biochemical matrix of ingredients, which work together to help achieve relief.¹

EB-C4

Cannabidiol (0% THC)	3%
Myrcene	3%
Beta-Caryophyllene	3%
Arnica	2%
MSM (Methylsulfonylmethane)	2%

Dosage:

Apply 1-4 times per day or as advised by your healthcare provider.

Formulated and produced by licensed pharmacists. USA hemp sourced CBD — vegan-friendly, organic ingredients.



Therapeutic Active Pharmaceutical Ingredient Guide²⁻¹³

ACTIVE INGREDIENT	DESCRIPTION
Cannabidiol (0% THC)	A key phytocannabinoid that acts on human cannabinoid receptors Inflammation Mood, Memory, Sleep
Myrcene	A key terpene that works with CBD to produce the entourage effect - Inflammation
Beta-Caryophyllene	A key terpene that works with CBD to produce the entourage effect - Inflammation + Mood
Arnica	A key herb with known medicinal properties. Most common ingredient in anti-inflammatory OTC topicals Inflammation
MSM (Methylsulfonylmethane)	Oxidative stressInflammation
Botanical Complex (Camphor-Peppermint- Eucalyptus-Menthol)	+ Cooling Effect
HRT Heavy™ Pharmaceutical Base	Tissue penetrationSystemic exposure

increasedecrease

EBM Medical Contact Information

Phone: 1-844-360-4095

Email: support@EBMmedical.com

Website: EBMmedical.com



BROAD SPECTRUM TOPICAL A NATURAL APPROACH TO ACHIEVING RELIEF

Now that I have been prescribed an EBM Medical product, what are the next steps?



Your provider will send your prescription to EBM Medical



You will receive a text or email to confirm your order — To expedite your order, call us at 1-844-360-4095



An EBM representative will contact you to answer your questions and process your payment



Within 24 hours, your prescribed formula will be shipped to your door



You will receive a confirmation text 10 days before your prescription needs to be refilled

Questions?

Contact EBM at 1-844-360-4095, support@EBMmedical.com, or, visit our website at www.EBMmedical.com

FREQUENTLY ASKED QUESTIONS

What is EB-C4?

EB-C4 is a broad spectrum transdermal cream, combined in an HRT HEAVY[™] base, that drives the active ingredients into the tissue and bloodstream so they may provide benefits for the entire body. EB-C4 contains key active ingredients that are commonly used for relief, overall health, and wellness.

Will I get high from the CBD in EB-C4?

No. CBD is a phytocannabinoid that is non-psychotropic (it does not result in feelings of euphoria) and has a remarkable safety profile. EB-C4 is guaranteed to be THC FREE.

Is EB-C4 approved by the FDA?

The FDA has not evaluated EB-C4. Due to DSHEA guidelines, we cannot specifically state conditions CBD may affect. We encourage you to do your own research, consult with doctors, and use PubMed.gov as a resource as newly published research comes out in real-time. Anecdotal evidence and case reports are pushing the research needle forward, but more research is needed to provide structure and function claims associated with taking CBD.

Does EB-C4 need to be refrigerated?

No. EB-C4 has been formulated by licensed pharmacists to withstand separation of ingredients in high temperatures. If your shipment is received in a hot condition, simply place in the refrigerator for 15 minutes to return the consistency to a cream.

Drug Interactions: Do not take EB-C4 if you have any known allergies to its listed active pharmaceutical ingredients.















Manufactured in compliance with current Good Manufacturing

REFERENCES

Russo EB, Taming THC; potential cannabis synergy and phytocannabinoid-terpenoid entourage effects, Br J Pharmacol, 2011 Aug;163(7):1344-64

Russo Eb. Iaming 1 HC: potential cannabis synergy and phytocannabinoid-rerpenoid entourage effects. Br J Pharmacol. 2011 Aug;16s(7):1544-64.
Burstein, Sumer. (2015). Cannabisidol (CBD) and its analogs. A review of their effects on inflammation. Bioorganic & Medicinal Chemistry. 23. 10016/j.bmc.2015.01.059.
Philipott HT, O'Brien M, McDougall JJ, Attenuation of early phase inflammation by cannabidiol prevents pain and nerve damage in rat osteoarthritis. Pain. 2017 Dec;158(12):2442-2451.
Hammell DC, Zhang LP, Ma F, Abshire SM, McIlwrath SL, Stinchcomb AL, Westlund KN. Transdermal cannabid or leduces inflammation and pain-related behaviours in a rat model of arthritis. Eur J Pain. 2016 Jul;20(6):936-48. doi: 10.1002/ejp.818. Epub 2015 Oct 30. PMID: 26517407; PMCID: PMC4851925.
Kriplani, P., Guarve, K. and Baghael, U. S. (2017), Amica montana L. - a plant of healing: review. J Pharm Pmacol. 69: 925-945.
Iannitti, Tommaso & Morales Medina, Julio Cesar & Bellavite, Paolo & Rottigni, Valentina & Palmieri, Beniamino. (2016). Effectiveness and Safety of Arnica Montana in Post-Surgical Setting, Pain and Inflammation. American. Journal of Theranguitics. 23: 184-197.

Iannitti, Tommaso & Morales Medina, Julio Cesari & Bellavrite, Paolo & Rottigni, Valentina & Palmieri, Beniamino. (2016). Effectiveness and Safety of Arnica Montana in Post-Surgical Setting, Pain and Inflammation. American Journal of Therapeutics. 23. 184-197.
 Butawan M, Benjamin RL, Bloomer RJ. Methylsulfonylmethane: Applications and Safety of a Novel Dietary Supplement. Nutrients. 2017 Mar 16;9(3):290.
 Debbi EM, Agar G, Fichman G, Ziv YB, Kardosh R, Haliperin N, Elibaz A, Beer Y, Debi R. Efficacy of methylsulfonylmethane supplementation on osteoarthritis of the knee: a randomized controlled study. BMC Complement Altern Med. 2011 Jun 27;115.0.
 Lubis, Andri & Siagian, Carles & Wonggokusuma, Erick & Marsetio, Aldo & Setyohadi, Bambang. (2017). Comparison of Glucosamine-Chondroitin Sulfate with and without Methylsulfonylmethane in Grade I-Il Iknee Osteoarthritis: A Double Blind Randomized Controlled Trial. Acta medica Indonesiana. 49, 105-111.
 Gertsch J, Leonti M, Raduner S, Racz I, Chen JZ, Xie XQ, Altmann KH, Karsak M, Zimmer A. Beta-caryophyllene is a dietary cannabinoid. Proc Natl Acad Sci U S A. 2008 Jul 1;105(26):9099-104.
 Machado, KdC, Islam, MT, Ali, ES, et al. A systematic review on the neuroprotective perspectives of beta-caryophyllene. Phytotherapy Research. 2018; 32: 2376–2388.
 Ana Teresa Rufino, Madalena Ribeiro, Cátia Sousa, Fernando Judas, Ligia Salgueiro, Carlos Cavaleiro, Alexandrina Ferreira Mendes, Evaluation of the anti-inflammatory, anti-catabolic and pronabolic effects of E-caryophyllene, myrcene and limonene in a cell model of osteoarthritis, European Journal of Pharmacology, Volume 750, 2015, Pages 141-150, ISSN 0014-2999.
 Jansen C, Shimoda LMN, Kawakami JK, Ang L, Bacani AJ, Baker JD, Badowski C, Speck M, Stokes AJ, Small-Howard AL, Turner H. Myrcene and terpene regulation of TRPV1. Channels (Austin). 2019 Dec;13(1):344-366.

